

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/815797 and potent\$ same hand\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:10
L2	2	(modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same real\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:15
L3	4	(changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same real\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:21
L4	75	(changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) same real\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:17
L5	20	"455"/\$.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:22
L6	103	(changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:45
L7	65	"455"/\$.ccls. and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:22
L8	35	"455"/\$.ccls. and 6 and size\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:23

L9	24	455/437.ccls. and real\$4 same tim\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:41
L10	42	455/437.ccls. and (changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:46
L11	1	455/437.ccls. and (changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti. and traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:46
L12	3	455/437.ccls. and (changeab\$6 updat\$6 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:53
L14	0	"6295450".pn. and automatic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:31
L15	1	"20030190916".pn. and automatic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:37
L17	0	"6445918".pn. and threshold\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:44
L18	2	"6295450".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:31

L19	2	"6445918".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 13:44
L20	1	"20030190916".pn. and threshol\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:37
S1	2	calin and morawski	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 15:06
S2	2	hand near1 (off or over) same list\$4 same (traffic or load\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:15
S3	3	hand near1 (off or over) same list\$4 same (traffic or load\$4) same call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:21
S4	9	hand near1 (off or over) and neigh\$6 near1 list\$4 same (traffic or load\$4) same call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:33
S5	9	hand near1 (off or over) and neigh\$6 near1 list\$4 same (traffic or load\$4 or congest\$6) same call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:34
S6	35	hand near1 (off or over) and neigh\$6 near1 list\$4 same (traffic or load\$4 or congest\$6) and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:55

S7	6	("5724665" "5854981" "6195552").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:41
S8	56	("5023900" "5095500" "5222249" "5239682" "5260943" "5309503" "5327575" "5422933" "5428816" "5432843" "5475868" "5499386" "5509051").PN. OR ("5854981").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/03 14:44
S9	15	S8 and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:27
S10	3	hand near1 (off or over) same neigh\$6 near1 list\$4 same base\$4 same (traffic or load\$4 or congest\$6) and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:14
S11	15	hand near1 (off or over) same neigh\$6 near1 list\$4 same base\$4 same (traffic or load\$4 or congest\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 14:57
S12	0	S7 and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:17
S13	3	S7 and (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:01
S14	135	hand near1 (off or over) same list\$4 same (traffic or load\$4 or congest\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:16
S15	6	hand near1 (off or over) same list\$4 same real near2 tim\$4 same (traffic or load\$4 or congest\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:16

S16	35	S14 and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/03 15:17
S17	3	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same real near2 tim\$4 same (traffic or load\$4 or congest\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:20
S18	391	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same (traffic or load\$4 or congest\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:24
S19	93	S18 and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:21
S20	16	455/437.ccls. and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:41
S21	14	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same (traffic or load\$4 or congest\$6) same call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:38
S22	7	("4811380" "5771275" "5913167"). PN. OR ("6445918").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:28
S23	4	455/437.ccls. and call\$4 near1 (drop\$4 or block\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:01
S24	36	"455"/\$.ccls. and call\$4 near1 (drop\$4 or block\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:37

S25	3	"455"/\$.ccls. and call\$4 near1 (drop\$4 or block\$4).ti. and (updat\$4) same list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:40
S26	3	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:59
S27	0	S26 and (updat\$4) same list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:41
S28	0	S26 and (modif\$4) same list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:41
S29	7	("4811380" "5771275" "5913167").PN. OR ("6445918").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:43
S30	1	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and S24 and (human\$4 or operator\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:09
S31	3	S29 and (human\$4 or operator\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:54
S32	2	"6775521".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 11:54
S33	2	"5557639".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:18

S34	2	"6157830".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:31
S35	14	"1049006"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:56
S36	24	varyin\$ same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:34
S39	413	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:48
S40	43	(hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same call\$4 near1 (drop\$4 or block\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:28
S41	2	"5724665".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:20
S42	2	"5854981".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:23
S43	2	"6195552".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:53
S44	21	("4881271" "5175867" "5243642" "5280630" "5297190" "5297193" "5499387").PN. OR ("5724665").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/15 12:23

S45	88	455/434.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:49
S46	20	455/434.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and cour\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:49
S47	2	"5950130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:58
S48	43	455/437.ccls. and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:07
S49	3	varyin\$ same siz\$4 same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:09
S50	26	(adopt\$6 optimi\$6 varyin\$ dynamic\$6) same siz\$4 same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:41
S51	11	"455"/\$.ccls. and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:37
S52	17	455/437.ccls. and (adopt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:44

S53	22	455/437.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:48
S54	2	455/437.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:59
S55	1	455/437.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti. and siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:47
S56	9	455/437.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 and siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:50
S57	8	455/436-439,442.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:51
S58	8	455/436-439,442.ccls. and (adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6 changeab\$4) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:51
S59	12	("5175867" "5548812" "5867791" "5999522" "6035183" "6195342"). PN. OR ("6430414").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/15 15:01
S61	24	varyin\$ same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:09
S62	0	"6445918".pn. and threshold\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 15:23

S63	2	455/437.ccls. and (modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:00
S64	1	455/437.ccls. and (modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4.ti. and traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:14
S65	9	455/437.ccls. and (modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:22
S66	36	455/436-437,442.ccls. and (updat\$4 modif\$6 adopt\$6 adapt\$6 optimi\$6 varyin\$ dynamic\$6) same (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:20
S67	9	("4718081" "5140627" "5146609" "5594781" "5913167" "5915221" "5940761" "5974320" "6337983"). PN. OR ("6725043").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/15 16:26
S68	7	S67 and traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:28
S69	47	("5023900" "5042082" "5095500" "5161249" "5200957" "5222249" "5230082" "5239682" "5267261" "5309503" "5327575" "5379447" "5390339" "5422933" "5423064" "5428816" "5432842" "5432843" "5509051" "5594949" "5722073"). PN. OR ("5915221").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/15 16:28
S70	39	S69 and traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:34

S71	79	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:22
S72	1	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same real same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:21
S73	1	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same traffic\$. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:21
S74	57	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same base\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:23
S75	12	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same based\$4 same traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:25
S76	4	455/436-437,442.ccls. and (hand near1 (off or over) or neighbour\$4 or neighbor\$4) near4 list\$4 same based\$4 with traffic\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:25
S77	2	S69 and traffic\$ and adding with second with base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:34
S78	0	"6337983".pn. and Hand\$ with automat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:59

S79	1	"6337983".pn. and automat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 12:36
-----	---	-----------------------------	---	----	-----	------------------